

[54] VEHICLE TIRE

[75] Inventors: Yuzi Shimamoto, Osaka; Kotaro Tsutsumi, Tokyo, both of Japan

[73] Assignee: The Ohtsu Tire & Rubber Co., Ltd., Osaka, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 46,495

[22] Filed: May 6, 1987

[30] Foreign Application Priority Data

Dec. 17, 1986 [JP] Japan ..... 61-50168

[52] U.S. Cl. .... D12/140

[58] Field of Search ..... D12/136, 140, 146-151; 152/209 R, 209 B

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 275,383 9/1984 Stroble ..... D12/140
- D. 288,423 2/1987 Furusawa et al. .... D12/136

OTHER PUBLICATIONS

J. C. Whitney Motorcycle Parts & Accessories Catalog No. 38C, p. 48, ATV Lightweight Knobby Tire B & Tire I, top right & lower right side of page respectively. 1984 Tread Design Guide, Bennett Garfield Publication, 1984, p. 238, Dunlop KT376A ATV Tire & KT377A ATV Tire.

Primary Examiner—James M. Gandy  
Attorney, Agent, or Firm—Armstrong, Nikaido, Marmelstein, Kubovcik & Murray

[57] CLAIM

The ornamental design for a vehicle tire, as shown and described.

DESCRIPTION

FIG. 1 is a right side elevation view of the vehicle tire showing the design; FIG. 2 is a front elevation view thereof; and FIG. 3 is a perspective view of a tire showing our new design, it being understood that the tread design is repeated uniformly throughout the circumference of the tire and the opposite side is the same as that shown.




FIG.1






FIG.2




FIG.3

