

United States Patent [19]

Miki et al.

[11] Patent Number: **Des. 305,639**

[45] Date of Patent: **** Jan. 23, 1990**

[54] **BATTERY PACK**

[75] Inventors: **Tsuguo Miki, Machida; Kaoru Sumita, Tokyo, both of Japan**

[73] Assignee: **Sony Corporation, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **251,865**

[22] Filed: **Oct. 3, 1988**

[52] U.S. Cl. **D13/8**

[58] Field of Search **D13/4, 8-11; D14/137; 429/27, 54, 97-100, 123, 133, 149, 151, 153, 159, 160, 163, 176; 307/150; 320/2**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 246,240 11/1977 Hansen D13/4 X
D. 277,747 2/1985 Toth D13/8

D. 293,097 12/1987 Alligood et al. D13/8
4,468,439 8/1984 Ohara et al. 429/99 X
4,515,872 5/1985 Okano 429/99 X


Primary Examiner—Susan J. Lucas
Assistant Examiner—Joel Sincavage
Attorney, Agent, or Firm—Lewis H. Eslinger; Jay H. Maioli

[57] **CLAIM**

The ornamental design for a battery pack, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, and left-side perspective view of a battery pack, showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a left-side elevational view thereof;
FIG. 4 is a right-side elevational view thereof;
FIG. 5 is a top plan view thereof; and
FIG. 6 is a bottom plan view thereof.







FIG. 1

FIG. 2






FIG. 3

FIG. 4





FIG. 5

FIG. 6

