

[54] **CAMERA**

[75] **Inventor: Jun Akabane, Tokyo, Japan**  
[73] **Assignee: Nikon Corporation, Tokyo, Japan**  
[\*\*] **Term: 14 Years**  
[21] **Appl. No.: 15,608**  
[22] **Filed: Feb. 17, 1987**

[30] **Foreign Application Priority Data**

Sep. 11, 1986 [JP] Japan ..... 61-36005  
[52] **U.S. Cl. .... D16/209**  
[58] **Field of Search ..... D16/200, 208, 209, 217,**  
**D16/218; 354/126, 127.11, 149.1, 149.11, 202,**  
**288**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 284,197 6/1986 Yamamoto et al. .... D16/209  
D. 296,110 6/1988 Suyama et al. .... D16/209  
D. 296,111 6/1988 Suyama ..... D16/209  
D. 296,703 7/1988 Goto et al. .... D16/209

**OTHER PUBLICATIONS**

Evans Catalog, 1984-1985, p. 343, (Item 3, top-center, Nikon L 35 AF).

*Primary Examiner*—Bernard Ansher  
*Assistant Examiner*—Adir Aronovich  
*Attorney, Agent, or Firm*—Shapiro and Shapiro

[57] **CLAIM**

The ornamental design for camera, as shown.

**DESCRIPTION**

FIG. 1 is a front elevational view of a camera with a lens cover in the closed position showing my new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a right side elevational view thereof;  
FIG. 7 is a front, top and right side perspective view thereof, with the lens in an operational position; and  
FIG. 8 is a front, top and right side perspective view thereof, with the lens in an alternate operational position.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8

