

[54] RECONFIGURABLE ROBOTIC HUMANOID TOY

[75] Inventor: Kouzin Ohno, Chiba, Japan  
[73] Assignee: Takara Co., Ltd., Tokyo, Japan  
[\*\*] Term: 14 Years  
[21] Appl. No.: 18,968  
[22] Filed: Feb. 25, 1987

[30] Foreign Application Priority Data

Dec. 25, 1986 [JP] Japan ..... 61-51590  
[52] U.S. Cl. .... D21/150; D21/114;  
D21/166  
[58] Field of Search ..... D21/150, 59, 166, 114-119;  
446/71, 72, 77, 94, 97, 383, 381, 481

[56] References Cited

U.S. PATENT DOCUMENTS

D. 294,055	2/1988	Shibukawa	.....	D21/150
D. 294,157	2/1988	Matsumoto	.....	D21/150
D. 295,060	4/1988	Ohno et al.	.....	D21/150
D. 297,039	8/1988	Matsumoto	.....	D21/150
D. 297,956	10/1988	Shibukawa et al.	.....	D21/150

Primary Examiner—Charles A. Rademaker  
Attorney, Agent, or Firm—Price, Gess & Ubell

[57] CLAIM

The ornamental design for a reconfigurable robotic humanoid toy, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a reconfigurable robotic humanoid toy showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom plan view thereof; FIG. 8 is another front perspective view of the design shown in FIGS 1 through 7 in the first station configuration; FIG. 9 is a rear perspective view thereof; FIG. 10 is further front perspective view of the design shown in FIGS. 1 through 9 in the second station configuration; and FIG. 11 is a rear perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7






FIG. 8






FIG. 9




FIG. 10

FIG. 11

