United States Patent [19]

Ohno

[11] **Patent Number: Des. 305,786**

[45] **Date of Patent: ** Jan. 30, 1990**

[54] **RECONFIGURABLE ROBOTIC HUMANOID TOY**

[75] Inventor: **Kouzin Ohno**, Chiba, Japan

[73] Assignee: **Takara Co., Ltd.**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **18,968**

[22] Filed: **Feb. 25, 1987**

[30] **Foreign Application Priority Data**

Dec. 25, 1986 [JP] Japan 61-51590

[52] **U.S. Cl.** **D21/150**; D21/114; D21/166

[58] **Field of Search** D21/150, 59, 166, 114–119; 446/71, 72, 77, 94, 97, 383, 381, 481

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 294,055	2/1988	Shibukawa	D21/150
D. 294,157	2/1988	Matsumoto	D21/150
D. 295,060	4/1988	Ohno et al.	D21/150
D. 297,039	8/1988	Matsumoto	D21/150
D. 297,956	10/1988	Shibukawa et al.	D21/150

Primary Examiner—Charles A. Rademaker
Attorney, Agent, or Firm—Price, Gess & Ubell

[57] **CLAIM**

The ornamental design for a reconfigurable robotic humanoid toy, as shown and described.

DESCRIPTION

FIG. **1** is a front perspective view of a reconfigurable robotic humanoid toy showing my new design;
FIG. **2** is a front elevational view thereof;
FIG. **3** is a right side elevational view thereof;
FIG. **4** is a left side elevatiional view thereof;
FIG. **5** is a rear elevational view thereof;
FIG. **6** is a top plan view thereof;
FIG. **7** is a bottom plan view thereof;
FIG. **8** is a another front perspective view of the design shown in FIGS **1** through **7** in the first station configuration;
FIG. **9** is a rear perspective view thereof;
FIG. **10** is further front perspective view of the design shown in FIGS. **1** through **9** in the second station configuration; and
FIG. **11** is a rear perspective view thereof.



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7





FIG. 8



FIG. 9



FIG. 10



FIG. 10