

[54] **COMBINED CONTAINER/BOTTLE AND COSMETIC WAND APPLICATORS OR THE LIKE**

[75] **Inventors:** Henry J. Cassai, 163-47 85th St., Howard Beach, N.Y. 11414; Gino H. Cassai, Brooklyn, N.Y.

[73] **Assignee:** Henry J. Cassai, Howard Beach, N.Y.

[**] **Term:** 14 Years

[21] **Appl. No.:** 337,535

[22] **Filed:** Apr. 14, 1989

Related U.S. Application Data

- [62] Division of Ser. No. 765,394, Aug. 14, 1985.
- [52] **U.S. Cl.** D28/77; D28/82
- [58] **Field of Search** D28/4-8, D28/61, 73, 76-91.1; D9/337, 338, 341, 347, 352, 377, 413, 355; 220/DIG. 26; 206/235, 385, 581, 823; D3/39; 132/286, 288, 293, 294, 297-301, 303-305, 313-318

References Cited

U.S. PATENT DOCUMENTS

- D. 145,819 10/1946 Ramsey D28/86
- D. 183,674 10/1958 Bau D28/7 X
- D. 265,888 8/1982 Epperson D9/355
- D. 274,008 5/1984 Cassai et al. D28/7
- D. 278,206 4/1985 Cassai et al. D9/352
- D. 279,961 8/1985 Fortuna D9/355
- 4,165,755 8/1979 Cassai D28/7 X

FOREIGN PATENT DOCUMENTS

- 2037409 2/1972 Fed. Rep. of Germany D28/7

Primary Examiner—Louis S. Zarfus



[57] **CLAIM**

The ornamental design for a combined container/bottle

and cosmetic wand applicators or the like, as shown and described.

DESCRIPTION

FIG. 1 is an exploded front elevational view of a combined container/bottle and cosmetic wand applicators or the like showing our new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a side elevational view of FIG. 1;
 FIG. 4 is an exploded side elevational view showing a second embodiment of our new design wherein the caps have been modified;
 FIG. 5 is a top plan view of FIG. 1, with caps removed;
 FIG. 6 is a bottom plan view thereof, with cap removed;
 FIG. 7 is another exploded front elevational view showing a third embodiment of our new design;
 FIG. 8 is a rear elevational view thereof;
 FIG. 9 is a side elevational view of FIG. 7, the opposite side being the same;
 FIG. 10 is an exploded side elevational view showing a fourth embodiment of our new design wherein the caps have been modified;
 FIG. 11 is a top plan view of FIG. 7, with caps removed;
 FIG. 12 is a bottom plan view thereof, with cap removed;
 FIG. 13 is another exploded front elevational view showing a fifth embodiment of our new design;
 FIG. 14 is a rear elevational view thereof;
 FIG. 15 is a side elevational view of FIG. 13, the opposite side being the same;
 FIG. 16 is an exploded side elevational view showing a sixth embodiment of our new design, wherein the caps have been modified;
 FIG. 17 is a top plan view of FIG. 13, with caps removed; and
 FIG. 18 is a bottom plan view thereof, with cap removed.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18