

[54] COMBINED ROLLABLE VEHICLE CABINET AND SUPPORT RAILS THEREFORE

[76] Inventor: Victor L. Schneider, 15020 El Paso Lane E., Puyallup, Wash. 98373

[**] Term: 14 Years

[21] Appl. No.: 51,039

[22] Filed: May 18, 1987

[52] U.S. Cl. D12/157

[58] Field of Search D12/157; 224/273, 310, 224/311, 42.11, 42.42; 296/37.6, 156

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|----------------------|----------|
| D. 257,340 | 10/1980 | Grossman | D12/157 |
| D. 274,139 | 6/1984 | Suffern et al. | D12/157 |
| D. 275,275 | 8/1984 | Stapp | D12/157 |
| 2,784,027 | 3/1957 | Temp | 296/156 |
| 3,471,045 | 10/1969 | Panciocco | 414/522 |
| 3,534,892 | 10/1970 | Truelove, Sr. | 224/311 |
| 4,469,364 | 9/1984 | Rafi-Zadeh | 296/37.6 |
| 4,522,326 | 6/1985 | Tuohy | 224/310 |
| 4,635,992 | 1/1987 | Hamilton et al. | 224/273 |

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Roy E. Mattern, Jr.

[57] CLAIM

The ornamental design for a combined rollable vehicle cabinet and support rails therefore, as shown and described.

DESCRIPTION


FIG. 1 is a top, left, front perspective view of a combined rollable vehicle cabinet and support rails therefor showing my new design with a portion of the left support rail broken away in the middle for clarity of illustration, it being understood that said support rail is of a uniform height throughout its length;


FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevation view thereof; and

FIG. 4 is a left side elevation view thereof with the left support rail omitted for clarity of illustration and a portion of the right support rail broken away for convenience of illustration, it being understood that the right side is a mirror image of that shown.

The rear of the rollable vehicle cabinet is substantially flat and unornamented and the support rails therefor have been omitted in FIGS. 2 and 3 of the drawing for convenience of illustration.








FIG. 2




FIG. 3




FIG. 4