

[54] 35 MM CAMERA

4,350,420 9/1982 Engelsmann et al. D16/149.11

[75] Inventor: Yasuhiko Nakayama, Nagano, Japan

[73] Assignee: Chinon Kabushiki Kaisha, Nagano, Japan

[**] Term: 14 Years

[21] Appl. No.: 71,285

[22] Filed: Jul. 9, 1987

[30] Foreign Application Priority Data

Jan. 16, 1987 [JP] Japan 1450/87

[52] U.S. Cl. D16/209

[58] Field of Search D16/200, 208, 209, 216, D16/217, 218; 354/82, 202, 288, 147, 149.1, 149.11

[56] References Cited

U.S. PATENT DOCUMENTS

D. 267,954	2/1983	Sawara	D16/209
D. 273,498	4/1984	Arnott	D16/209
D. 284,768	7/1986	Nakayama	D16/209
D. 284,973	8/1986	Hansen	D16/209
D. 285,087	8/1986	Hansen	D16/209
D. 285,208	8/1986	Nakayama	D16/209

OTHER PUBLICATIONS

Popular Photography, Apr. 1986, p. 49 (K10 & K12 Cameras).

Best Products Catalog, 1986, p. 269 (Item 14).

Primary Examiner—Bernard Ansher

Assistant Examiner—Adir Aronovich

Attorney, Agent, or Firm—James E. Nilles

[57] CLAIM

The ornamental design for 35 mm camera, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a 35 mm camera showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a perspective view thereof with the flash unit in an operative position; and

FIG. 8 is a perspective view thereof with the flash unit in an inoperative position.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

