

[54] GRASS SHEARS

[75] Inventors: Kimikazu Ishida; Tsuneo Ishida, both of Miki, Japan

[73] Assignee: Saboten Company Ltd., Hyogo, Japan

[**] Term: 14 Years

[21] Appl. No.: 162,347

[22] Filed: Feb. 26, 1988

[30] Foreign Application Priority Data

Dec. 24, 1987 [JP] Japan 62-53047
 [52] U.S. Cl. D8/5
 [58] Field of Search D8/1, 4-5,
 D8/3; 30/185-186, 236, 241, 244, 246, 248-252,
 254, 257, 261-262, 327

[56] References Cited

U.S. PATENT DOCUMENTS

D. 251,955 5/1979 Germain D8/5
 D. 285,407 9/1986 Clivio et al. D8/5
 D. 297,905 2/1988 Ishida et al. D8/5
 3,296,697 1/1967 Hedstrom 30/248
 3,323,210 6/1967 Dorney 30/248

OTHER PUBLICATIONS

Snap-Cut Tool Catalogue, p. 686-Grass Shears, #707-T.
 Ames Catalogue, #21-990 (May 1986), p. 34-Grass Shears, #C23-040.

Primary Examiner—Wallace R. Burke
 Assistant Examiner—Brian N. Vinson
 Attorney, Agent, or Firm—Koda & Androlia

[57] CLAIM

The ornamental design for a grass shears, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a grass shears showing our new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a right side elevational view thereof;
 FIG. 4 is a left side elevational view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a front perspective view thereof;
 FIG. 8 is a rear perspective view thereof;
 FIG. 9 is a front perspective view with the blades opened;
 FIG. 10 is a rear elevational view thereof with the blades turned about 45 degrees; and
 FIG. 11 is a rear elevational view thereof with the blades turned 90 degrees.




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 9




FIGURE 11




FIGURE 7




FIGURE 8




FIGURE 10

