

[54] **LAPTOP COMPUTER**

[75] **Inventor: Thomas Mitchell, Houston, Tex.**

[73] **Assignee: Compaq Computer Corporation, Houston, Tex.**

[**] **Term: 14 Years**

[21] **Appl. No.: 193,985**

[22] **Filed: May 13, 1988**

[52] **U.S. Cl. D14/106**

[58] **Field of Search D14/100, 102, 105, 106, D14/107, 109, 113, 115; D18/1, 2, 6, 7, 11, 12, 13; 340/700, 706, 711, 712; 341/22, 23; 364/706-710, 130, 144, 189; 235/145 A, 145 R; 400/680, 681, 682, 690, 691, 690.1, 685, 693; 312/208; 358/248, 249, 254**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 254,005 1/1980 Reid et al. D14/106
- D. 287,968 1/1987 Ng et al. D14/106
- D. 294,029 2/1988 Nishiyama et al. D14/106
- D. 295,176 4/1988 Nishimoto et al. D14/106
- 4,704,604 11/1987 Fuhs 364/708 X

OTHER PUBLICATIONS

- Toshiba ad in Byte Magazine, Jan. 1989.
- Toshiba ad in PC Week 3-20-89.
- The Corporate Source Boffin Limited ad for Zenith in PC Week 3-20-89.
- Byte, Jan. 1989, p. 36—Toshiba T3100e Laptop Computer.
- Bay Area Computer Currents, Mar. 21-Apr. 3, 1989, p. 51, NEC Powermate Portable 386SX.
- NEC America Laptop Computer, May 1989.

Kaypro Corp. 10/85, Center Spread—Portable Computer (Kaypro 2000).
Personal Computer, Aug. 1985, p. 100—The Kaypro 2000 Portable Computer.

Primary Examiner—Susan J. Lucas
Assistant Examiner—Freda Selma Nunn
Attorney, Agent, or Firm—J. David Cabello; Christopher D. Keirs

[57] **CLAIM**

The ornamental design for a laptop computer, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right side perspective view of the laptop computer with the display-lid in the open position and the keyboard in the stowed position within the carrying case showing my new design;
FIG. 2 is a top, front, right side perspective view thereof with the display-lid in the open position and keyboard in the detached position;
FIG. 3 is a top, front, right side perspective view thereof, the keyboard and carrying handle in the stowed position and the display-lid in the closed position;
FIG. 4 is a front elevational view thereof, the display-lid in the closed position;
FIG. 5 is a top plan view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is a left side elevational view thereof, the keyboard tilted and the display-lid in the viewing position and the carrying handle in the stowed position;
FIG. 8 is a right side elevational view thereof, the display lid in the closed position;
FIG. 9 is a left side elevational view thereof, the carrying handle in the extended position;
FIG. 10 is a top, front, right side perspective view thereof, the carrying handle in the extended position;
FIG. 11 is a rear elevational view thereof;
FIG. 12 is a bottom plan view thereof.




Fig. 1




Fig. 2





Fig. 3

Fig. 4




Fig. 5





Fig. 6




Fig. 7




Fig. 9




Fig. 8




Fig. 10

Fig. 11




Fig. 12

