

# United States Patent [19]

Tanaka et al.

[11] Patent Number: Des. 306,453

[45] Date of Patent: \*\* Mar. 6, 1990

[54] CAMERA

[75] Inventors: Noboru Tanaka, Kawasaki; Nobuhiro Ago; Shuichi Tamura, both of Yokohama, all of Japan

[73] Assignee: Canon Kabushiki Kaisha, Tokyo, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 906,764

[22] Filed: Sep. 12, 1986

[30] Foreign Application Priority Data

Mar. 14, 1986 [JP] Japan ..... 61-9258

[52] U.S. Cl. .... D16/209

[58] Field of Search ..... D16/200, 208, 209;  
354/81, 82, 126, 127.1, 127.11, 149.11, 152, 187,  
202, 288

[56] References Cited

## U.S. PATENT DOCUMENTS

D. 279,573 7/1985 Agou et al. .... D16/1  
D. 285,450 9/1986 Soda ..... D16/209  
D. 289,176 4/1987 Yoshida ..... D16/209  
D. 290,464 6/1987 Kato ..... D16/209  
D. 291,090 7/1987 Ago et al. .... D16/6

D. 293,325 12/1987 Kato ..... D16/209  
D. 293,685 1/1988 Tanaka et al. .... D16/5  
D. 293,917 1/1988 Tanaka et al. .... D16/5

## OTHER PUBLICATIONS

35 MM Photography, 4/1986, p. 11, (Camera at top left).

*Primary Examiner*—Bernard Ansher

*Assistant Examiner*—Adir Aronovich

*Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for a camera, as shown and described.

## DESCRIPTION

FIG. 1 is a front elevational view of the camera showing our new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a perspective view thereof; and

FIG. 8 is a reference drawing showing the state where the lens barrier is closed.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

