

[54] PORTABLE TELEVISION SET

[75] Inventors: Akihiro Miyahara, Kunitachi; Hiroshi Nakatsuka, Kokubunji, both of Japan

[73] Assignee: Casio Computer Co., Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 79,278

[22] Filed: Jul. 29, 1987

[52] U.S. Cl. D14/126; D14/113

[58] Field of Search D14/125-134, D14/113; 358/236, 254, 255; 312/7.2

[56] References Cited

U.S. PATENT DOCUMENTS

D. 294,262	2/1988	Thies et al.	D14/113
D. 294,575	3/1988	Okamoto	D14/131
4,438,458	3/1984	Munscher	D14/113 X
4,525,746	6/1985	Mangold et al.	358/254
4,528,597	7/1985	Klein et al.	358/254

Primary Examiner—Bernard Ansher
Assistant Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Frishauf, Holtz, Goodman & Woodward

[57] CLAIM

The ornamental design for a portable television set, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a portable television set showing our new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a right side elevational view thereof;
 FIG. 4 is a left side elevational view;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a rear elevational view thereof;
 FIG. 7 is a top, front and right side perspective view thereof, shown with the antenna in an extended position;
 FIG. 8 is a top, front and right side perspective view thereof, shown with the liquid crystal display in a folded position;
 FIG. 9 is a front elevational view of a second embodiment of the portable television illustrated in FIG. 1;
 FIG. 10 is a top plan view of the embodiment disclosed in FIG. 9;
 FIG. 11 is a right side elevational view of the embodiment disclosed in FIG. 9;
 FIG. 12 is a left side elevational view of the embodiment disclosed in FIG. 9;
 FIG. 13 is a bottom plan view of the embodiment disclosed in FIG. 9;
 FIG. 14 is a rear elevational view of the embodiment disclosed in FIG. 9;
 FIG. 15 is a top, front and right side perspective view of the embodiment disclosed in FIG. 9, shown with the antenna in an extended position; and
 FIG. 16 is a top, front and right side perspective view of the embodiment disclosed in FIG. 9, shown with the liquid crystal display in a folded position.




FIG. 2




FIG. 4




FIG. 1




FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 10




FIG. 12




FIG. 9




FIG. 11




FIG. 13




FIG. 14




FIG. 15




FIG. 16

