

[54] **TRANSCIVER HEAD SET**

[75] **Inventor: Shinkichi Tanaka, Tokyo, Japan**

[73] **Assignee: Sony Corporation, Tokyo, Japan**

[**] **Term: 14 Years**

[21] **Appl. No.: 131,171**

[22] **Filed: Dec. 10, 1987**

[30] **Foreign Application Priority Data**

Jul. 30, 1987 [JP] Japan 62-31042

[52] **U.S. Cl. D14/137; D14/206**

[58] **Field of Search D14/124, 137, 139, 157,
D14/159, 188, 189, 191, 192, 217, 218, 257, 258,
299, 155, 168, 206, 223, 205; 455/73, 89, 90, 344**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 287,849 1/1987 O'Malley et al. D14/206
- D. 292,400 10/1987 Boggs et al. D14/206 X
- D. 299,337 1/1989 Wiegel D14/206
- D. 299,643 1/1989 Kubota D14/223 X

- 4,484,029 11/1984 Kenney 455/89 X
- 4,491,699 1/1985 Walker 455/89 X

OTHER PUBLICATIONS

The Sharper Image Catalog; Sep. 1985; p. 30; left center—Two-Way Personal Communicator.


Primary Examiner—Bernard Ansher
Assistant Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Lewis H. Eslinger; Jay H. Maioli

[57] **CLAIM**

The ornamental design for a transceiver head set, as shown.

DESCRIPTION

FIG. 1 is a top and left-side perspective view of a transceiver head set, showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a left-side elevational view thereof; FIG. 5 is a right-side elevational view thereof; FIG. 6 is a top plan view thereof; and FIG. 7 is a bottom plan view thereof.






FIG. 2




FIG. 3




FIG. 4




FIG. 7




FIG. 5




FIG. 6

