

United States Patent [19]

Yabuki et al.

[11] Patent Number: Des. 306,728

[45] Date of Patent: ** Mar. 20, 1990

[54] TELEPHONE SET

[75] Inventors: Hiromi Yabuki; Eiichi Taniguchi,
both of Kawasaki, Japan

[73] Assignee: Nitsuko Corporation, Japan

[**] Term: 14 Years

[21] Appl. No.: 280,270

[22] Filed: Dec. 5, 1988

[30] Foreign Application Priority Data

Jul. 4, 1988 [JP] Japan 63-26394

[52] U.S. Cl. D14/151; D14/248;
D14/243; D14/241

[58] Field of Search D14/151, 149, 248, 243;
379/440, 436, 433, 428, 419, 420, 432

[56] References Cited

U.S. PATENT DOCUMENTS

D. 280,324 7/1985 Endt D14/151
D. 280,404 7/1985 Inaka D14/151
D. 280,617 7/1985 Inaka D14/151

D. 284,079 6/1986 Kita et al. D14/151
D. 285,304 8/1986 Inaka D14/151
D. 290,700 7/1987 Lendahl D14/151
D. 295,514 5/1988 Inaka D14/151
D. 296,785 7/1988 Yamagishi D14/151
D. 301,236 5/1989 Suzui et al. D14/151

Primary Examiner—Horace B. Fay, Jr.

Attorney, Agent, or Firm—Leydig, Voit & Mayer

[57] CLAIM

The ornamental design for a telephone set, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a telephone set showing our design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a perspective view thereof showing the off-hook position with the handset inverted and spaced apart from the base unit of the telephone set.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

