

[54] DIGITAL POSITION READOUT SYSTEM

[75] Inventors: Katsuo Takada, Yokohama; Hisanori Narita, Kawasaki, both of Japan

[73] Assignee: Sony Corporation, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 18,003

[22] Filed: Feb. 24, 1987

[30] Foreign Application Priority Data

Aug. 27, 1986 [JP] Japan 61-33399

[52] U.S. Cl. D10/46

[58] Field of Search D14/100-117; D10/15, 46, 78, 102; D13/40, 41, 32; 340/700, 706, 710, 709, 711, 712; 341/22, 23; 358/248, 249, 254; 312/7.2, 208; 364/706, 708, 709, 710; D21/48; 74/471 XY; 178/18, 19; 200/5 A, 5 R, 6 A, 6 R; 273/148 B; 361/331; 360/99.06

[56] References Cited

U.S. PATENT DOCUMENTS

D. 247,896 5/1978 Cannon et al. D13/32

D. 282,645 2/1986 Larson D10/46 X
D. 289,504 4/1987 McCain et al. D10/78
3,355,730 11/1967 Neasham 178/18
4,313,113 1/1982 Thornburg 178/18 X
4,573,092 2/1986 Sugiyama et al. 360/99.06

Primary Examiner—Susan J. Lucas
Assistant Examiner—Freda S. Nunn
Attorney, Agent, or Firm—Lewis H. Eslinger; Jay H. Maioli

[57] CLAIM

The ornamental design for a digital position readout system, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left-side perspective view of a digital position readout system, showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left-side elevational view thereof;

FIG. 5 is a right-side elevational view thereof;

FIG. 6 is a top plan view thereof; and

FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 6




FIG. 3




FIG. 4




FIG. 5





FIG. 7