

[54] DRILL BIT

4,350,215	9/1982	Radtke	175/329
4,460,053	7/1984	Jürgens et al. .	
4,553,615	11/1985	Grainger .	
4,660,659	4/1987	Short, Jr. et al.	175/329
4,669,556	6/1987	Barr et al.	175/329

[75] Inventors: Bjørn Lyng, Vanvikan; Hans Tronstad, Leksvik, both of Norway

[73] Assignee: Lyng Drilling Products A-S, Vanvikan, Norway

[**] Term: 14 Years

[21] Appl. No.: 35,722

[22] Filed: Apr. 8, 1987

[52] U.S. Cl. D15/21; D15/139

[58] Field of Search D15/139, 21; 76/108 R, 76/108 A; 175/394, 395, 391, 393, 329, 330, 327, 412, 413, 331, 416

[56] References Cited

U.S. PATENT DOCUMENTS

3,095,935	9/1958	Hildebrandt et al.	175/393 X
4,176,723	12/1979	Arceneaux .	

Primary Examiner—Carmen H. Vales-Lado
Assistant Examiner—Jeffrey Asch
Attorney, Agent, or Firm—Wenderoth, Lind & Ponack

[57] CLAIM

The ornamental design for a drill bit, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a drill bit showing our new design;

FIG. 2 is a side elevation view thereof turned 90° with respect to FIG. 1;

FIG. 3 is an end elevational view thereof; and

FIG. 4 is an elevational view thereof showing the end opposite that in FIG. 3.




FIG. 2




FIG. 1




FIG. 3




FIG. 4

