

[54] CONTROL UNIT OF PROGRAMMABLE CONTROLLER

[75] Inventor: Katsuhiko Ishida, Osaka, Japan

[73] Assignee: Sharp Corporation, Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 166,166

[22] Filed: Mar. 10, 1988

[30] Foreign Application Priority Data

Sep. 14, 1987 [JP] Japan 62-37584

[52] U.S. Cl. D13/162

[58] Field of Search D13/12, 35, 40, 41, D13/99; D14/100, 101, 114; 361/331-334, 346, 390-394; 364/141, 146, 147, 188, 190-193; 901/3, 4, 5

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 272,819 2/1984 Bean et al. D13/12
- D. 274,615 7/1984 Bean et al. D13/12
- D. 278,710 5/1985 Shimizu et al. D13/12

- D. 281,493 11/1985 Prager et al. D13/40
- D. 292,394 10/1987 Boucher D13/12
- D. 296,432 6/1988 Harris et al. D13/12
- 4,672,511 6/1987 Meusel et al. 361/380
- 4,716,497 12/1987 Craker 361/395


Primary Examiner—Susan J. Lucas
Assistant Examiner—Joel Sincavage
Attorney, Agent, or Firm—Flehr, Hohbach, Test, Albritton & Herbert


[57] CLAIM

The ornamental design for a control unit of programmable controller, as shown and described.


DESCRIPTION

FIG. 1 is a front elevational view of the control unit of programmable controller showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; and FIG. 7 is a perspective view thereof from a front upper left position.







FIG_1




FIG_2




FIG_5




FIG_3



FIG_4



FIG_6



FIG_7