

[54] VEHICLE TIRE

[75] Inventor: Masaaki Minamitani, Osaka, Japan

[73] Assignee: The Ohtsu Tire & Rubber Co., Ltd.,
Izumi-Ohtsu, Japan

[**] Term: 14 Years

[21] Appl. No.: 84,000

[22] Filed: Aug. 11, 1987

[30] Foreign Application Priority Data

Mar. 13, 1987 [JP] Japan 62-9678

[52] U.S. Cl. D12/147

[58] Field of Search D12/141-143,
D12/145-151; 152/209 R, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 247,891	5/1978	Bennett	D12/146
D. 275,386	9/1984	Baus	D12/146
D. 278,221	4/1985	Kojima et al.	D12/147
D. 288,078	2/1987	Hasegawa	D12/146
D. 288,190	2/1987	Hayakawa	D12/147

FOREIGN PATENT DOCUMENTS

631052 5/1984 Japan .

684601 5/1986 Japan .

OTHER PUBLICATIONS

1987 Tread Design Guide, ©1/87, p. 117, Dunlop Radial Rover RV Tire, bottom center of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Armstrong, Nikaido,
Marmelstein, Kubovcik & Murray

[57] CLAIM

The ornamental design for a vehicle tire, as shown and described.

DESCRIPTION

FIG. 1 is a side elevation view of a vehicle tire showing my new design, the opposite side being a mirror image thereof;

FIG. 2 is a front elevation view thereof; and

FIG. 3 is a perspective view thereof it being understood that the tread design is repeated uniformly throughout the circumference of the tire.




FIG.1




FIG.2




FIG.3

