

[54] REMOTE CONTROLLER FOR VIDEO TAPE RECORDER

4,745,397 5/1988 Lagerbauer et al. 358/194.1 X
4,755,883 7/1988 Uehira 358/194.1 X

[75] Inventors: Seiji Usami; Yoshihiro Yanagihara; Hiroyuki Mitsui, all of Osaka, Japan

[73] Assignee: Sharp Corporation, Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 271,073

[22] Filed: Nov. 14, 1988

[30] Foreign Application Priority Data

Jun. 2, 1988 [JP] Japan 63-21769

[52] U.S. Cl. D14/218

[58] Field of Search D14/217, 218, 299; 455/151, 352, 353, 354, 355, 601, 602, 603, 605; 358/194.1; D13/32; D18/6, 7

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 255,125 5/1980 Hazama et al. D18/7
- D. 258,892 4/1981 Ohie et al. D18/7
- D. 292,706 11/1987 Fischer D18/7 X
- D. 300,030 2/1989 Barrett et al. D14/218

OTHER PUBLICATIONS

HFD; 12/22/86; p. 80; right side.


Primary Examiner—Bernard Ansher
Assistant Examiner—Theodore Shooman
Attorney, Agent, or Firm—Flehr Hohbach Test Albritton & Herbert


[57] CLAIM

The ornamental design for a remote controller for video tape recorder, as shown and described.


DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a remote controller for video tape recorder showing our new design;
FIG. 2 is a top, front and right side perspective view thereof, shown with the cover in an open position;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a front elevational view thereof;
FIG. 6 is a rear elevational view thereof;
FIG. 7 is a right side elevational view thereof; and
FIG. 8 is a left side elevational view thereof.







FIG_1




FIG_2




FIG_3




FIG_5




FIG_7



FIG_4



FIG_6



FIG_8