

[54] PRINTER

[75] Inventor: Susumu Doi, Yokohama, Japan

[73] Assignee: Canon Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 16,840

[22] Filed: Feb. 20, 1987

[30] Foreign Application Priority Data

Aug. 28, 1986 [JP] Japan 61-33766

[52] U.S. Cl. D18/13

[58] Field of Search D14/111; D18/13, 22, D18/23; 400/613.2-613.4, 691-694

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 236,835 9/1975 Kramer D18/13
- D. 251,492 4/1979 Kneale et al. D18/13
- D. 270,732 9/1983 Brown et al. D18/13
- D. 280,508 9/1985 Nasui et al. D18/13
- D. 284,007 5/1986 Freijd D18/13
- D. 285,211 8/1986 Nibley et al. D18/12

- D. 288,568 3/1987 Hara et al. D14/111
- D. 289,167 4/1987 Otsuka D14/111
- D. 292,977 12/1987 Ikeda D14/111
- D. 295,856 5/1988 Hara D18/13
- D. 298,136 10/1988 Toth et al. D14/111
- 4,664,544 5/1987 Miyako 400/693

Primary Examiner—James R. Largen
Assistant Examiner—Cathy Anne MacCormac
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for a printer, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a printer showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof; and
FIG. 7 is a top front and left side perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

