United States Patent [19]

Watanabe

[11] Patent Number: Des. 307,489

[45] Date of Patent: ** Apr. 24, 1990

[54] CONTAINER FOR RELEASING PERFUME

[75] Inventor: Tadao Watanabe, Suita, Japan

[73] Assignee: DIA Chemical Co., Ltd., Japan

[**] Term: 14 Years

[21] Appl. No.: 167,519

[22] Filed: Mar. 14, 1988

[30] Foreign Application Priority Data

Sep	. 17, 1987	[JP]	Japan	62-38066	
Sep	. 17, 1987	[JP]	Japan	62-38067	
[52]	U.S. Cl.	•••••	-	D28/5	
				D28/5; 401/208, 186	

[56] References Cited

U.S. PATENT DOCUMENTS

3,441,353 4/1969 Claff 401/208

FOREIGN PATENT DOCUMENTS

699287 11/1986 Japan.

Primary Examiner—Charles A. Rademaker Assistant Examiner—David Jeo Attorney, Agent, or Firm—Larson and Taylor

[57] CLAIM

The ornamental design for a container for releasing perfume, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a container for releasing perfume showing one embodiment of my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a perspective view thereof;

FIG. 8 is a perspective view thereof with its odor-emitting window half opened.

FIG. 9 is a perspective view thereof with its odor-emitting window full opened.

FIG. 10 is a cross sectional view taken on the line 10—10 of FIG. 1;

FIG. 11 is a top plan view of a second modified embodiment of FIG. 1:

FIG. 12 is a front elevational view thereof;

FIG. 13 is a left side elevational view thereof;

FIG. 14 is a rear elevational view thereof;

FIG. 15 is a right side elevational view thereof;

FIG. 16 is a bottom plan view thereof;


FIG. 17 is a perspective view thereof;


FIG. 18 is a perspective view thereof with its odoremitting window half opened.

FIG. 19 is a perspective view thereof with its odoremitting window full opened.

FIG. 20 is a cross sectional view taken on the line 20—20 of FIG. 11.

The figures are shaded to indicate contrasting colors.






U.S. Patent Apr. 24, 1990




Sheet 1 of 6

D307,489


F/G.1




F1G.6




F1G.2




F/G.4





F/G.3




F/G.5












F/G.10




F / G. 11 - 20




F/G.16




F1G.12





F/G.14





F/G.13











•

F1G.20

