

[54] HOUSING FOR AN INFRARED SIGNAL DETECTOR

D. 275,657 9/1984 Kahl, Jr. D10/106
D. 277,652 2/1985 Kahl, Jr. D10/106
4,418,335 11/1983 Genähe 340/600

[75] Inventors: Arlan K. Andrews; David M. Dickson, both of Indianapolis, Ind.; John N. McGarvey, Drexel Hill, Pa.; Michael P. Zambelli, Livingston, N.J.

[73] Assignees: American Telephone and Telegraph Company, New York, N.Y.; AT&T Information Systems Inc., Morristown, N.J.

[**] Term: 14 Years

[21] Appl. No.: 114,264

[22] Filed: Oct. 28, 1987

[52] U.S. Cl. D10/106

[58] Field of Search D10/106; 340/555, 556, 340/600, 565, 353, 567

[56] References Cited

U.S. PATENT DOCUMENTS

D. 258,577 3/1981 Bottner D10/6
D. 261,371 10/1981 Lewis D10/106
D. 272,993 3/1984 Chan D10/106

OTHER PUBLICATIONS

Application Ser. No. 07/039,488 filed Apr. 6, 1987.

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Michael A. Morra

[57] CLAIM

The ornamental design for a housing for an infrared signal detector, as shown and described.

DESCRIPTION


FIG. 1 is a top, front and left side perspective view of a housing for an infrared signal detector showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof, the left side elevational view being identical;

FIG. 4 is a top plan view of the housing for an infrared signal detector, the bottom plan view being identical therewith; and

FIG. 5 is a rear elevational view thereof.






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5

