

[54] IN LINE CORD SWITCH

[76] Inventors: Clifford J. Layne, 7 Markdale Avenue, Apt. 4, Toronto, Ontario, Canada, M6C 1S8; Aldo F. Balatti, 5 Massey Square, Apt. 2703, Toronto, Ontario, Canada, M4C 5L6

[\*\*] Term: 14 Years

[21] Appl. No.: 235,246

[22] Filed: Aug. 23, 1988

[52] U.S. Cl. .... D13/140; D13/171

[58] Field of Search ..... D13/32, 38, 40, 28, D13/30; 200/51 R, 298, 520

[56] References Cited

U.S. PATENT DOCUMENTS

D. 237,889 12/1975 Lawrence ..... D13/28  
1,815,635 7/1931 Peterson ..... 200/308

FOREIGN PATENT DOCUMENTS

170327 2/1960 Sweden ..... 200/51 R


Primary Examiner—Susan J. Lucas  
Assistant Examiner—Joel Sincavage  
Attorney, Agent, or Firm—Kenneth M. Garrett

[57] CLAIM

The ornamental design for an in line cord switch, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an in line cord switch showing our new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a right side elevational view thereof, the left side elevation being a mirror image;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a front elevational view thereof, and  
FIG. 6 is a rear elevational view thereof.  
In FIGS. 1 through 4 the electrical cord is shown as broken to indicate an indeterminate length.







FIG. 2.






FIG. 3.




FIG. 4.




FIG. 5.




FIG. 6.