

[54] AUTOMATIC FIRE EXTINGUISHER

[75] Inventors: Yasuo Yamamura; Yukio Akatsu; Tetsuyuki Sugimoto, all of Tokyo, Japan

[73] Assignees: FS Manufacturing Co., Ltd.; Tokyo Bosai Setsubi Co., Ltd.; Marubeni Construction Material Lease Co., Ltd., all of Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 277,215

[22] Filed: Nov. 29, 1988

[30] Foreign Application Priority Data

Jun. 8, 1988 [JP] Japan 63-22429

[52] U.S. Cl. D29/2

[58] Field of Search D29/2, 1, 3, 4, 5; 169/51, 61, 58, 70, 71, 88, 30, 89, 74, 75

[56] References Cited

U.S. PATENT DOCUMENTS

D. 99,712 5/1936 Grison D29/2
4,046,439 9/1977 Lee 169/51
4,819,732 4/1989 Laumeister 169/51

Primary Examiner—Wallace R. Burke

Assistant Examiner—Kay H. Chin
Attorney, Agent, or Firm—Felfe & Lynch

[57] CLAIM

The ornamental design for an automatic fire extinguisher, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an automatic fire extinguisher showing our new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a front perspective view thereof, showing the fire extinguisher in operational state in which the nozzle unit in a rotated position; FIG. 8 is a front elevational view thereof, with its door opened; FIG. 9 is a top plan view of FIG. 7, in which the nozzle unit is 30° rotated; FIG. 10 is a top plan view of FIG. 7, in which the nozzle unit is 45° rotated; FIG. 11 is a top plan view of FIG. 7, in which the nozzle unit is 90° rotated; and FIG. 12 is a top plan view of FIG. 7, in which the nozzle unit is 225° rotated.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12

