

[54] CONTROLLER FOR INDUSTRIAL INSTRUMENTATION

[75] Inventors: Tatsuou Moriyama; Masaharu Wakamatsu, both of Hyogo, Japan

[73] Assignee: Mitsubishi Denki Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 250,506

[22] Filed: Sep. 29, 1988

[30] Foreign Application Priority Data

Apr. 1, 1988 [JP] Japan 63-13421
[52] U.S. Cl. D13/164
[58] Field of Search D13/12, 35, 40, 41, D13/99; D14/100, 101, 114; 361/331-334, 346, 390-394; 364/141, 146, 147, 188, 190-193; 901/3, 4, 5

[56] References Cited

U.S. PATENT DOCUMENTS

D. 212,950 12/1968 Gruye D13/40
D. 272,819 2/1984 Bean et al. D13/12
D. 273,103 3/1984 Lewellen D13/12

D. 275,194 8/1984 Walker D13/12
D. 282,461 2/1986 Shimizu et al. D13/12
4,152,750 5/1979 Bremenour 361/383
4,652,769 3/1987 Smith et al. 361/394 X

OTHER PUBLICATIONS

New Equipment Digest, 1-85, p. 39, G-E Controllers. Journal "Measuring Technique" published in Sep. 1987. Catalog by Hitachi.

Primary Examiner—Susan J. Lucas
Assistant Examiner—Joel Sincavage
Attorney, Agent, or Firm—Bernard, Rothwell & Brown

[57] CLAIM

The ornamental design for a controller for industrial instrumentation, showing our new design.

DESCRIPTION

FIG. 1 is a front elevational view of a controller for industrial instrumentation showing our new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a top plan view thereof the bottom plan view being a mirror image; FIG. 4 is a right side elevational view thereof the left side elevational view being a mirror image; and FIG. 5 is an enlarged perspective view thereof wherein the broken lines are for illustrating an operating state.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

