

[54] PROGRAMMABLE CONTROLLER

[75] Inventors: Masato Shibayama, Sayama; Kazuyuki Tsuburaya, Akikawa; Michiaki Kotsuka, Chiba; Takayuki Oshiga, Narashino; Katsuhiro Fujiwara, Sakura, all of Japan

[73] Assignee: Hitachi, Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 899,428

[22] Filed: Aug. 22, 1986

[30] Foreign Application Priority Data

Jul. 21, 1986 [JP] Japan 61-28230

[52] U.S. Cl. D13/164

[58] Field of Search D13/12, 35, 40, 41, D13/99; D14/100, 101, 114; 361/331-334, 346, 390-394; 364/141, 146, 147, 188, 190-193; 901/3, 4, 5

[56] References Cited

U.S. PATENT DOCUMENTS

D. 292,394 10/1987 Boucher D13/12

D. 296,432 6/1988 Harris et al. D13/12
4,250,563 2/1981 Struger 361/393 X
4,510,565 4/1985 Dummermuth 364/147 X

OTHER PUBLICATIONS

New Equipment Digest, 1-85, p. 108.
New Equipment Digest, 5-85, p. 26.
Design News, 9-85.

Primary Examiner—Susan J. Lucas
Assistant Examiner—Joel Sincavage
Attorney, Agent, or Firm—Antonelli, Terry & Wands

[57] CLAIM

The ornamental design for a programmable controller, as shown.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a programmable controller showing our new design; FIG. 2 is front elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; and FIG. 7 is a rear elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

