

[54] EMBROIDERY WORK STATION

[76] Inventor: Gerald A. Peters, Box 1020,
Carnegie, Okla. 73015

[**] Term: 14 Years

[21] Appl. No.: 27,496

[22] Filed: Mar. 18, 1987

[52] U.S. Cl. D3/25; D15/66

[58] Field of Search D3/18, 20-29;
D9/303; 38/102.2; 223/106-109 A, 120;
242/130, 134, 139; 248/349; 211/129; 312/125,
305; D15/66, 78

[56] References Cited

U.S. PATENT DOCUMENTS

D. 182,269	3/1958	Brown et al.	D3/25
D. 244,755	6/1977	Bard	D15/66
145,297	12/1873	Harris	D3/25 X
669,828	3/1901	Gornston	242/134
867,583	10/1907	Lee	223/106
970,282	9/1910	Vermilyea et al.	D15/66 X
1,249,706	12/1917	Zimmerman et al.	223/107 X
1,580,687	4/1926	Selbst	242/139
4,010,562	3/1977	Maier	D3/26 X

Primary Examiner—Louis S. Zarfes


Attorney, Agent, or Firm—Laney, Dougherty, Hessin &
Beavers




[57] CLAIM

The ornamental design for an embroidery work station,
as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an embroidery
work station, showing my new design;
FIG. 2 is a perspective view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a cross-sectional view thereof, taken along line
5—5 of FIG. 1;
FIG. 6 is a cross-sectional view thereof, take along line
6—6 of FIG. 1;
FIG. 7 is a cross-sectional view thereof, taken along line
7—7 of FIG. 1;
FIG. 8 is a cross-sectional view thereof, taken along line
8—8 of FIG. 1;
FIG. 9 is a cross-sectional view thereof, taken along line
9—9 of FIG. 1;
FIG. 10 is a side elevational view thereof, as seen from
the right of FIG. 1;
FIG. 11 is a rear elevational view thereof; and
FIG. 12 is a side elevational view thereof, as seen from
the left of FIG. 1.








FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 10




FIG. 11




FIG. 12