

[54] **INDOOR ANTENNA**

[75] **Inventor: Akio Takizawa, Tokyo, Japan**

[73] **Assignee: Nippon Antenna Co., Ltd., Tokyo, Japan**

[**] **Term: 14 Years**

[21] **Appl. No.: 1,551**

[22] **Filed: Jan. 8, 1987**

[30] **Foreign Application Priority Data**

Sep. 12, 1986 [JP] Japan 61-36028

[52] **U.S. Cl. D14/235; D14/231**

[58] **Field of Search D14/230-238, D14/299; 343/702, 705, 708, 711, 712, 713, 726, 765, 766, 785, 786, 805, 833, 840, 861, 872, 880, 882, 895, 908**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 182,473 4/1958 Middlemark D14/235
- D. 202,709 11/1965 Larson D14/235
- D. 221,554 8/1971 Kahn D14/235

- D. 293,787 1/1988 Redaelli D14/235
- D. 295,517 3/1988 Moriyama et al. D14/235


Primary Examiner—B. J. Bullock
Assistant Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Birch, Stewart, Kolasch & Birch

[57] **CLAIM**

The ornamental design for an indoor antenna, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an indoor antenna showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof, rotated 180 degrees from FIG. 1;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a right side elevational view thereof, the left side being a mirror image;
FIG. 6 is a front and right side perspective view thereof with the antenna arms in an extended position; and
FIG. 7 is a top and right side perspective view thereof in a collapsed position and the antenna arms disassembled.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

FIG. 6




FIG. 7

