

[54] **AIR CONDITIONER SUPPORT**

[75] **Inventors:** Brian D. Adam; Courtney L. Adam, both of Sioux City, Iowa

[73] **Assignee:** Bramec Corporation, North Sioux City, S. Dak.

[**] **Term:** 14 Years

[21] **Appl. No.:** 23,872

[22] **Filed:** Mar. 10, 1987

[52] **U.S. Cl.** D23/354

[58] **Field of Search** D23/354, 351; D34/38; D25/138, 113, 157; 108/51.1; 248/346; 62/297

[56] **References Cited**

U.S. PATENT DOCUMENTS

150,710	5/1874	Prindle	D25/113
254,269	2/1882	Brown	404/34
415,734	11/1889	Randall	D25/113
460,283	9/1891	Adler	52/316
928,321	7/1909	Moore	52/604
967,542	8/1910	Munro	52/98
1,596,482	8/1926	Ewen	D25/138
1,676,094	7/1928	Knox	52/302
1,741,189	12/1929	Jencks	108/51.1
1,799,014	3/1931	Innes	D25/113
1,877,481	9/1932	Prouty	52/560
2,136,348	11/1938	Wadman	49/54
3,071,216	1/1963	Jones	189/34
3,200,489	8/1965	Keeleric	29/470.9
3,449,819	6/1969	Blank	29/470.9
3,722,845	3/1973	Unger	248/346
3,746,178	7/1973	Wagschal	211/74
3,790,115	2/1974	Fox	248/19
3,948,431	4/1976	Niimi	228/173
3,986,314	10/1976	Moeller	D25/138
4,008,932	2/1977	Wildschut	312/198
4,129,071	12/1978	Oishi	1/26
4,244,761	1/1981	Remi	13/20
4,270,622	6/1981	Travis	1/00
4,369,716	1/1983	Munk	19/24
4,422,494	12/1983	Chafin	19/4
4,505,449	3/1985	Turner	3/00

FOREIGN PATENT DOCUMENTS

268044	6/1966	Australia	D25/157
--------	--------	-----------------	---------

OTHER PUBLICATIONS

Rigidized Metals Corporation—Textures in Metal cat., p. 2, 2-SQ Pattern, left, middle side of page.

Primary Examiner—James M. Gandy
Assistant Examiner—Lisa Lichtenstein
Attorney, Agent, or Firm—Shlesinger & Myers

[57] **CLAIM**

The ornamental design for an air conditioner support, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of an air conditioner support showing my new design;

FIG. 2 is a side elevation view thereof, it being understood that the remaining three sides are the same as that shown;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is an enlarged top plan view of one of the corner components of the air conditioner support, shown separately, for convenience of illustration, it being understood that the remaining three corner components are the same as that shown;

FIG. 5 is a bottom plan view of FIG. 4;

FIG. 6 is a front elevation view of FIG. 4, it being understood that the right end is a mirror image thereof;

FIG. 7 is a left end elevation view of FIG. 4, it being understood that the rear is a mirror image thereof;

FIG. 8 is a top plan view of one of the center components of the air conditioner support, shown separately for convenience of illustration, it being understood that the remaining three center components are the same as that shown;

FIG. 9 is a bottom plan view of FIG. 8;

FIG. 10 is a side elevation view of FIG. 8, it being understood that the remaining three sides are the same as that shown;


FIG. 11 is a top plan view of one of the side components of the air conditioner support, shown separately for convenience of illustration, it being understood that the remaining 7 side components are the same as that shown;

FIG. 12 is a bottom plan view of FIG. 11;

FIG. 13 is a front elevation view of FIG. 11;

FIG. 14 is a rear elevation view of FIG. 11; and

FIG. 15 is a left side elevation view of FIG. 11, it being understood that the right side is a mirror image of that shown.






FIG 1



FIG 2




FIG 3

FIG 4





FIG 5






FIG 6




FIG 7




FIG 8




FIG 9




FIG 10




FIG 11




FIG 12




FIG 13




FIG 14




FIG 15