

- [54] **COPIER CONTROL DEVICE**
- [75] Inventor: Mikio Kosako, Osaka, Japan
- [73] Assignee: Sharp Corporation, Osaka, Japan
- [**] Term: 14 Years
- [21] Appl. No.: 935,537
- [22] Filed: Nov. 26, 1986
- [30] **Foreign Application Priority Data**
 May 26, 1986 [JP] Japan 61-20405
- [52] U.S. Cl. D18/41
- [58] **Field of Search** D18/40, 41; D10/46,
 D10/104, 70, 106; D14/114; 235/375, 382;
 340/712, 713, 718, 753, 754; 355/201, 202, 308;
 364/518; 377/1, 3, 8, 13, 15, 16, 30, 38
- [56] **References Cited**
U.S. PATENT DOCUMENTS
 D. 280,416 9/1985 Switser D18/41
 D. 294,357 2/1988 Klein et al. D14/111
 3,427,441 2/1969 Swords 377/8
 3,679,875 7/1972 Rawson et al. 235/375

3,872,282	3/1975	Long	377/38
4,370,550	1/1983	Sidline	235/375
4,566,109	1/1986	Sanuga	377/8
4,629,871	12/1986	Scribner et al.	235/375


Primary Examiner—Nelson C. Holtje
Assistant Examiner—Caron D. Veynar
Attorney, Agent, or Firm—Flehr, Hohbach, Test,
 Albritton & Herbert


[57] **CLAIM**

The ornamental design for a copier control device, as shown and described.


DESCRIPTION

FIG. 1 is a right, front perspective view of the copier control device with the front cover open showing my new design;
 FIG. 2 is a top plan view thereof, with the front cover closed.
 FIG. 3 is a bottom plan view thereof;
 FIG. 4 is a front elevational view thereof;
 FIG. 5 is a rear elevational view thereof;
 FIG. 6 is a right side elevational view thereof; and
 FIG. 7 is a left side elevational view thereof.







FIG_1




FIG_2




FIG_3




FIG_4



FIG_5



FIG_6



FIG_7