

[54] LIQUID TANK FOR USE IN THE COOLING
CYCLE OF AN AIR CONDITIONING DEVICE
OR THE LIKE

[75] Inventor: Yoshikazu Takamatsu, Tokyo, Japan

[73] Assignee: Nihon Radiator Co., Ltd., Tokyo,
Japan

[**] Term: 14 Years

[21] Appl. No.: 144,447

[22] Filed: Jan. 15, 1988

[30] Foreign Application Priority Data

Dec. 11, 1987 [JP] Japan 62-50431

[52] U.S. Cl. D23/205

[58] Field of Search D23/200, 202, 203, 205,
D23/206, 207, 208, 225; 222/389, 562; 220/213,
288, 315, 85 P, 85 SP, 85 V

[56] References Cited

U.S. PATENT DOCUMENTS

D. 243,767 3/1977 Rutherford D23/207
1,442,440 1/1923 Messinger 222/562 X
3,085,752 4/1963 Dreil D23/226 X
3,255,936 6/1966 Healy et al. 222/389
3,275,200 9/1966 Livingstone 222/389

4,614,087 9/1986 Nadamoto et al. 62/126

FOREIGN PATENT DOCUMENTS

1579619 8/1969 France 222/562
551691 11/1956 Italy 220/1 B
57-61465 4/1982 Japan .
8301244 4/1983 PCT Int'l Appl. 222/389
852299 10/1960 United Kingdom 222/389

Primary Examiner—Susan J. Lucas

Assistant Examiner—M. H. Tung

Attorney, Agent, or Firm—Foley & Lardner, Schwartz,
Jeffery, Schwaab, Mack, Blumenthal & Evans

[57] CLAIM

The ornamental design for a liquid tank for use in the
cooling cycle of an air conditioning device or the like,
as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a liquid tank for use
in the cooling cycle of an air conditioning device or the
like, showing my new design;

FIG. 2 is a back elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a top, front perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

