

[54] **TIRE**

[75] **Inventors: Ronald L. Loeffler; Robert P. Loser,**  
both of Akron, Ohio

[73] **Assignee: The Goodyear Tire & Rubber**  
**Company, Akron, Ohio**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 137,477**

[22] **Filed: Dec. 21, 1987**

[52] **U.S. Cl. .... D12/142**

[58] **Field of Search ..... D12/141-143;**  
**152/209 R, 209 D**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 199,554 11/1964 Jones et al. .... D12/142
- D. 207,379 4/1967 Jones ..... D12/142
- D. 269,003 5/1983 Hammond ..... D12/143
- D. 269,005 5/1983 Hammond et al. .... D12/143

- D. 278,218 4/1985 Motomura et al. .... D12/142
- D. 289,025 3/1987 Stelzer ..... D12/142

**OTHER PUBLICATIONS**

1987 Tread Design Guide, p. 179, Hercules Superior HiWay 955 Tire, bottom center of page.


*Primary Examiner*—James M. Gandy  
*Attorney, Agent, or Firm*—L. R. Drayer

[57] **CLAIM**

The ornamental design for a tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown; FIG. 2 is a front elevation view thereof; and FIG. 3 is a side elevation view thereof on a reduced scale.






FIG. 1




FIG. 2




FIG. 3