

[54] SAFE

[75] Inventor: Keijiro Arauchi, Tokyo, Japan

[73] Assignee: Olympic Co., Ltd., Saitama, Japan

[**] Term: 14 Years

[21] Appl. No.: 129,975

[22] Filed: Dec. 8, 1987

[30] Foreign Application Priority Data

Aug. 28, 1987 [JP] Japan 62-35107

[52] U.S. Cl. D99/28

[58] Field of Search D99/28, 34, 35, 36, D99/43, 99, 37; 109/45-49, 50-57; 70/277, 278, 279, 280, 281, 282, 283; 232/4 R

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 214,141 5/1969 Horikoshi D99/28
- D. 291,019 7/1987 Druihet D99/28
- 4,062,056 12/1977 Goodrich 70/278 X

- 4,669,394 6/1987 Fogleman et al. 109/59 T
- 4,838,052 6/1989 Williams et al. 70/278 X

FOREIGN PATENT DOCUMENTS

53-31498 3/1978 Japan 70/278

Primary Examiner—Winifred E. Herrmann
Assistant Examiner—John Warchol
Attorney, Agent, or Firm—Koda & Androlia

[57] CLAIM

The ornamental design for a safe, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a safe showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a left side elevational view thereof; and
FIG. 7 is a right side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

