

[54] HEAT DETECTOR

[75] Inventor: Kenneth R. Fenne, Glen Ellyn, Ill.

[73] Assignee: Pittway Corporation, Northbrook, Ill.

[\*\*] Term: 14 Years

[21] Appl. No.: 83,308

[22] Filed: Aug. 10, 1987

[52] U.S. Cl. .... D10/106

[58] Field of Search ..... D10/106; 340/540, 541, 340/542, 545, 546, 547, 552, 565, 566, 568, 576, 628, 629, 630, 632; 250/381, 382, 383, 384

[56] References Cited

U.S. PATENT DOCUMENTS

D. 204,916	5/1966	Blevins	.....	D10/106
D. 206,139	11/1966	Smith	.....	D10/106
D. 215,039	8/1969	Abe	.....	D10/106
D. 240,120	6/1976	Pasquarrette	.....	D10/106
D. 269,331	6/1983	Fenne	.....	D10/106

D. 271,287	11/1983	Fenne	.....	D10/106
D. 276,417	11/1984	Fenne	.....	D10/106

Primary Examiner—Wallace R. Burke  
Assistant Examiner—Marcus Jackson  
Attorney, Agent, or Firm—Dressler, Goldsmith, Shore, Sutker & Milnamow, Ltd.

[57] CLAIM

The ornamental design for a heat detector, as shown and described.

DESCRIPTION

FIG. 1 is an elevational view of a heat detector showing my new design:


FIG. 2 is an elevational view thereof, 90° removed from FIG. 1;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a top plan view thereof; and

FIG. 5 is a fragmentary view in partial section taken along line 5—5 of FIG. 1.

The conventional wire grill, partially shown in FIGS. 1, 2 and 5, is understood to cover the entire areas indicated.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5