

[54] DATA INPUT/OUTPUT TERMINAL

[76] Inventor: Donald A. Deakins, 2740 E. Spring St., Long Beach, Calif. 90806

[**] Term: 14 Years

[21] Appl. No.: 155,682

[22] Filed: Feb. 16, 1988

[52] U.S. Cl. D14/100; D18/7; D18/2

[58] Field of Search D14/100, 102, 104-107, D14/113, 115; D18/1, 7, 11, 12; 235/145 A, 145 R; 340/700, 706, 711, 712; 341/22, 23, 26; 358/249, 254; 364/130, 144, 189, 706-710; 400/472, 477, 479, 485, 486, 489, 496, 676, 677, 682

[56] References Cited

U.S. PATENT DOCUMENTS

D. 284,966 8/1986 Larkins D18/7 X

D. 292,710 11/1987 Woods, Jr. D18/7 X
D. 297,947 10/1988 Yubisui et al. D18/7
4,264,962 4/1981 Kodaira 364/707
4,369,498 1/1983 Schulte 364/707 X
4,517,660 5/1985 Fushimoto et al. 364/708
4,825,395 4/1989 Kinser, Jr. et al. 364/708


Primary Examiner—Susan J. Lucas
Assistant Examiner—Freda S. Nunn
Attorney, Agent, or Firm—Edward A. Sokolski



[57] CLAIM

The ornamental design for a data input/output terminal, as shown and described.

DESCRIPTION

FIG. 1 is a front, left side perspective view of a data input/output terminal showing my new design; FIG. 2 is a top end elevational view thereof; the bottom end elevational view being a mirror image thereof; and FIG. 3 is a rear right side perspective view thereof. The bottom is the mirror image of the top (shown in FIG. 2).








Fig. 3