

[54] CLOCK

[75] Inventor: Ryoichi Kaneko, Tokyo, Japan

[73] Assignee: Seikosha Co., Ltd., Japan

[**] Term: 14 Years

[21] Appl. No.: 69,626

[22] Filed: Jul. 6, 1987

[30] Foreign Application Priority Data

Jan. 5, 1987 [JP] Japan 62-25[U]

[52] U.S. Cl. D10/6; D10/8; D10/15; D21/155

[58] Field of Search D10/2, 15, 6, 8, 28, D10/22-23; D14/169-171; 368/10, 11, 285

[56] References Cited

U.S. PATENT DOCUMENTS

D. 60,848	4/1922	Brach	D10/15	X
D. 193,101	6/1962	DelGrosso	D21/155	X
D. 274,606	7/1984	Mermelstein	D10/8	
D. 285,471	9/1986	Thompson	D21/155	X
D. 286,381	10/1986	Leisel	D10/8	
2,131,593	9/1938	Marshall	D14/227	X

FOREIGN PATENT DOCUMENTS

49935 11/1909 Fed. Rep. of Germany 368/278

OTHER PUBLICATIONS

Beckers' Catalog—Inside cover—"Message Mike" at top--left.

Home Furn. Daily—May 7-13, 1986, p. 183—Clock at left 2nd from top.

Primary Examiner—Nelson C. Holtje

Attorney, Agent, or Firm—Bruce L. Adams; Van C. Wilks

[57] CLAIM

The ornamental design for a clock, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a clock showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a left side elevational view thereof;


FIG. 4 is a right side elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a right front perspective view thereof; and

FIG. 8 is a bottom plan view thereof showing the clock in an energized state.






FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8