

[54] CHILD SAFETY HARNESS

[76] Inventor: Barry L. Joachim, 2116 65 Pl.,
Lubbock, Tex.

[**] Term: 14 Years

[21] Appl. No.: 28,925

[22] Filed: Mar. 23, 1987

[52] U.S. Cl. D29/11

[58] Field of Search D29/10-11;
128/846, 869, 875; 2/2, 44-45; 119/96, 109

2,132,556 10/1938 Blackshaw 119/96

2,212,746 8/1940 Nunn 119/96

2,758,769 8/1956 Nunn et al. 2/45

3,077,292 2/1963 Gehrke 119/96

Primary Examiner—A. Hugo Word
Assistant Examiner—Ruth McInroy
Attorney, Agent, or Firm—Matthews & Branscomb

[57] CLAIM

The ornamental design for a child safety harness, as shown.

DESCRIPTION

FIG. 1 is a top plan view of a child safety harness showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a rear elevational view thereof;



FIG. 5 is a left side elevational view thereof; and

FIG. 6 is a bottom plan view thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 106,869	11/1937	Miller	D29/11
D. 267,598	1/1983	Lyer et al.	D29/11
879,164	2/1908	Hamilton	128/875
1,574,672	2/1926	McCarroll-Poull	128/875
1,697,363	1/1929	Losey	128/875






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6