

[54] AUTOMOBILE TIRE

[75] Inventor: Hiroaki Sakuno, Hyogo, Japan

[73] Assignee: Sumitomo Rubber Industries, Ltd.,
Hyogo, Japan

[**] Term: 14 Years

[21] Appl. No.: 120,810

[22] Filed: Nov. 16, 1987

[30] Foreign Application Priority Data

May 15, 1987 [JP] Japan 62-19214
[52] U.S. Cl. D12/147
[58] Field of Search D12/141-143,
D12/145-151; 152/209 R, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 228,889 10/1973 Boileau D12/142
D. 229,247 11/1973 Holmes D12/141
D. 268,489 4/1983 Arenos et al. D12/143
D. 270,343 8/1983 Caretta D12/146
D. 276,711 12/1984 Menster D12/146

D. 301,445 6/1989 Terada D12/147

OTHER PUBLICATIONS

1985 Tread Design Guide, p. 71, Uniroyal Rallye 340
HR-70 Series Tire, second row down from top, center
of page.
1987 Tread Design Guide, 1/87, p. 111, Dayton Day-
tona Radial Stag Tire, bottom left side of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Birch, Stewart, Kolasch &
Birch

[57] CLAIM

The ornamental design for an automobile tire, as shown
and described.

DESCRIPTION

FIG. 1 is a perspective view of an automobile tire show-
ing my new design; it being understood that the tread
design is repeated uniformly throughout the circumfer-
ence of the tire, and the opposite side is the same as that
shown.
FIG. 2 is a front elevational view thereof; and
FIG. 3 is a side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3

