

[54] VEHICLE TIRE

[75] Inventor: Kenichi Okada, Hyogo, Japan

[73] Assignee: The Ohtsu Tire & Rubber Co., Ltd., Izumi-Ohtsu, Japan

[**] Term: 14 Years

[21] Appl. No.: 136,873

[22] Filed: Dec. 22, 1987

[30] Foreign Application Priority Data

Jul. 2, 1987 [JP] Japan 62-27099

[52] U.S. Cl. D12/147

[58] Field of Search D12/137, 140, 145-151; 152/209 R, 209 D, 209 B

[56] References Cited

U.S. PATENT DOCUMENTS

D. 302,261 7/1989 Kato D12/151

FOREIGN PATENT DOCUMENTS

686574 7/1982 Japan .

635741 1/1985 Japan .

OTHER PUBLICATIONS

1987 Tread Design Guide, ©1/87, p. 210, Bridgestone

V-Steel K-Traction Tire, second tire in from bottom right side of page.

1987 Tread Design Guide, ©1/87, p. 212, Firestone Rock Grip Excavator Tire, third row down from top, right side of page.

1987 Tread Design Guide, ©1/87, p. 251, Dunlop KT325 ATV Tire, second row down from top & second tire in from left side of page.

1987 Tread Design Guide, ©1/87, p. 252, Dunlop KT885 ATV Tire, third row down from top second tire in from right side of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Armstrong, Nikaido, Marmelstein, Kubovcik & Murray

[57] CLAIM

The ornamental design for a vehicle tire, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a vehicle tire showing my new design;

FIG. 2 is a side elevation view thereof, the opposite side being a mirror image of that shown; and

FIG. 3 is a perspective view thereof it being understood that the tread design is repeated uniformly throughout the circumference of the tire.




Fig. 1




Fig. 3




Fig. 2

