

[54] **VEHICLE TIRE**

[75] Inventor: **Kenichi Okada**, Hyogo, Japan

[73] Assignee: **The Ohtsu Tire & Rubber Co., Ltd.**,  
Izumi-Ohtsu, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **136,873**

[22] Filed: **Dec. 22, 1987**

[30] **Foreign Application Priority Data**

Jul. 2, 1987 [JP] Japan ..... 62-27099

[52] U.S. Cl. .... **D12/147**

[58] Field of Search ..... **D12/137, 140, 145-151;**  
**152/209 R, 209 D, 209 B**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 302,261 7/1989 Kato ..... D12/151

**FOREIGN PATENT DOCUMENTS**

686574 7/1982 Japan .

635741 1/1985 Japan .

**OTHER PUBLICATIONS**

1987 Tread Design Guide, ©1/87, p. 210, Bridgestone

V-Steel K-Traction Tire, second tire in from bottom right side of page.

1987 Tread Design Guide, ©1/87, p. 212, Firestone Rock Grip Excavator Tire, third row down from top, right side of page.

1987 Tread Design Guide, ©1/87, p. 251, Dunlop KT325 ATV Tire, second row down from top & second tire in from left side of page.

1987 Tread Design Guide, ©1/87, p. 252, Dunlop KT885 ATV Tire, third row down from top second tire in from right side of page.

*Primary Examiner*—James M. Gandy

*Attorney, Agent, or Firm*—Armstrong, Nikaido, Marmelstein, Kubovcik & Murray

[57] **CLAIM**

The ornamental design for a vehicle tire, as shown and described.

**DESCRIPTION**


FIG. 1 is a front elevation view of a vehicle tire showing my new design;

FIG. 2 is a side elevation view thereof, the opposite side being a mirror image of that shown; and


FIG. 3 is a perspective view thereof it being understood that the tread design is repeated uniformly throughout the circumference of the tire.



*Fig. 1*



*Fig. 3*



*Fig. 2*

