

[54] HAIR DRIER

[75] Inventor: Keiko Matoba, Osaka, Japan

[73] Assignee: Sharp Corporation, Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 184,151

[22] Filed: Apr. 21, 1988

[30] Foreign Application Priority Data

Oct. 30, 1987 [JP] Japan 62-44585

[52] U.S. Cl. D28/16; D26/64; D28/17

[58] Field of Search D28/9, 10-19, D28/54.1; D26/61, 63-65, 106, 107; 34/96-101; 132/270, 271; 219/222, 368, 369-373

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 207,063 2/1967 Sovatsky D26/64
- D. 212,038 8/1968 Araki D26/65
- D. 253,074 10/1979 Wistrand D28/16
- 1,782,660 11/1930 Meyer D26/64 X
- 3,315,073 4/1967 Araki D26/65 X



Primary Examiner—Louis S. Zarfes
Attorney, Agent, or Firm—Flehr, Hohbach, Test, Albritton & Herbert


[57] CLAIM

The ornamental design for a hair drier, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a hair drier showing my new design with the blower in lifted position;
 FIG. 2 is a front elevational view thereof with the blower in nested position;
 FIG. 3 is a rear elevational view thereof with the blower in nested position;
 FIG. 4 is a right side elevational view thereof with the blower in nested position, the left side elevational view being a mirror image thereof;
 FIG. 5 is a top plan view thereof with the blower in nested position;
 FIG. 6 is a bottom plan view thereof with the blower in nested position;
 FIG. 7 is a perspective view of a hair drier showing a modified form of my new design with the blower in lifted position;
 FIG. 8 is a front elevational view of second embodiment with blower in nested position;
 FIG. 9 is a rear elevational view of second embodiment with blower in nested position;
 FIG. 10 is a right side elevational view of the second embodiment with the blower in nested position, the left side elevational view being a mirror image thereof;
 FIG. 11 is a top plan view of second embodiment with blower in nested position; and
 FIG. 12 is a bottom plan view of second embodiment with blower in nested position.







FIG_1




FIG_6




FIG_7




FIG_2




FIG_3




FIG_4




FIG_7




FIG_11




FIG_12



FIG_8



FIG_9



FIG_10