

[54] COMPASS

[75] Inventors: Sanae Aoki; Tsunataka Konoike, both of Tokyo, Japan

[73] Assignee: Tanaka Manufacturing Company Limited, Tokyo, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 88,105

[22] Filed: Aug. 21, 1987

[52] U.S. Cl. .... D10/68

[58] Field of Search ..... D10/22, 23, 24, 25, D10/57, 61, 65, 68; 33/324, 325, 326, 327, 328, 329, 330, 355 R, 356, 357, 358, 359, 360, 361, 362, 363, 364

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 161,957 2/1951 Newman ..... D10/22
- D. 172,940 8/1954 Taylor ..... D10/68
- D. 258,725 3/1981 Hocq ..... D10/22
- D. 280,187 8/1985 Nordström ..... D10/68 X

- D. 287,942 1/1987 Tanaka ..... D10/68 X
- D. 299,908 2/1989 Miyazima ..... D10/68
- D. 303,506 9/1989 Hatakeyama ..... D10/68
- 4,670,988 6/1987 Baxter ..... D10/68 X

Primary Examiner—Nelson C. Holtje  
Assistant Examiner—Antoine D. Davis  
Attorney, Agent, or Firm—Amster, Rothstein & Ebenstein

[57] CLAIM

The ornamental design for a compass, as shown.

DESCRIPTION

FIG. 1 is a top and front perspective view of a compass showing our new design;  
FIG. 2 is a front elevational view;  
FIG. 3 is a rear elevational view;  
FIG. 4 is a right side elevational view;  
FIG. 5 is a left side elevational view;  
FIG. 6 is a top plan view;  
FIG. 7 is a bottom plan view; and  
FIG. 8 is a right side elevational view thereof, in a operational position.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

