

[54] EYEGLASSES

[76] Inventor: Tony Evans, 5672 Fawn Dr., Powder Springs, Ga. 30073

[**] Term: 14 Years

[21] Appl. No.: 140,596

[22] Filed: Jan. 4, 1988

[52] U.S. Cl. D16/102; D16/119

[58] Field of Search D16/102-122, D16/125-127; D29/9, 18; 351/41, 44-49, 51-53, 56-60, 63, 65, 70, 83, 85, 87, 90, 103, 110; 2/426, 431, 435, 436, 439, 440, 445-450, 452, 12, 15

[56] References Cited

U.S. PATENT DOCUMENTS

D. 294,950	3/1988	Shelton et al.	D16/102
3,498,293	3/1970	Oppenheimer	351/158
3,591,263	7/1971	Esterson	351/44
4,515,449	5/1985	Davidson	351/156

FOREIGN PATENT DOCUMENTS

130	1/1984	Japan	351/45
0121029	6/1986	Japan	351/45

OTHER PUBLICATIONS

Optometric Weekly, 10-6-1977, p. 18, Amer. Optometric Formdation Ad.

Hardware Age, Oct. 1984, p. 28, Hanover Wire Cloth Ad.

Accessories, Dec. 1986, p. 7, Solargenics Frames.

Accessories, Dec. 1986, p. 44, Laura Biagiotti Frames, Style #P7-110L.

Primary Examiner—Bruce W. Dunkins

Assistant Examiner—Clare E. Heflin

Attorney, Agent, or Firm—Thomas & Kennedy

[57] CLAIM

The ornamental design for eyeglasses, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the eyeglasses showing my new design;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a reduced top plan view thereof;

FIG. 5 is a reduced bottom plan view thereof;

FIG. 6 is a reduced side elevational view thereof, the opposite side being a mirror image.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6