United States Patent [19]

Foley

Des. 310,025 Patent Number:

Date of Patent: ** Aug. 21, 1990 [45]

[54] **CAN**

[76] Inventor: Michael S. Foley, 9284 Hickory St.,

Norfolk, Va. 23503

Term:

14 Years

[21] Appl. No.: 55,778

[22] Filed:

May 29, 1987

Related U.S. Application Data

[63]	Continuation-in-part of Ser. No. 652,085, Sep. 19, 1984.
[52]	U.S. Cl D9/368
[58]	Field of Search
	D9/434-438; 220/1 R, 1 S, 1 BC, 90.2, 90.4,
	90.6, 66-70; 206/457-459, 524.1, 525, 139, 601,
	807: 229/4.5, 5.5

[56]

References Cited

U.S. PATENT DOCUMENTS

D. 241,017	8/1919	Baker	D9/351
D. 243,833	3/1977	Markert	D9/438
D. 248,544	7/1978	Saunders	D9/352
D. 267,393	12/1982	Gruodis	D9/355
D. 271,663	12/1983	Stark	D9/352 X
D. 275,834	10/1984	Slade	
D. 282,442	2/1986	Kohnle	D9/355 X
D. 283,011	3/1986	Moloney et al	D9/398
2,016,964	10/1935	Huffman	
3,704,805	12/1972	Sheafe, III	220/90.6 X
4,559,729	12/1985	White	220/1 BC X

Primary Examiner—Bernard Ansher Assistant Examiner—C. Tuttle

[57]

CLAIM

The ornamental design for a can, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a can showing my new design;

FIG. 2 is a side elevational view thereof;

FIG. 3 is a fragmentary side elevational view thereof,

with portions broken away and partially shown in section;

FIG. 4 is a top plan view of a modified embodiment of the design shown in FIGS. 1 through 3;

FIG. 5 is a side elevational view thereof;

FIG. 6 is a fragmentary side elevational view thereof with a portion broken-away and partially shown in section;

FIG. 7 is a top plan view of a third modified embodiment of the design shown in FIGS. 1 through 3;

FIG. 8 is a side elevational view thereof;

FIG. 9 is a fragmentary side elevational view thereof with a portion broken-away and partially shown in section;

FIG. 10 is a top plan view of a fourth modified embodiment of the design shown in FIGS. 1 through 3;

FIG. 11 is a side elevational view thereof;

FIG. 12 is a fragmentary side elevational view thereof, with a portion broken away and partially shown in section;

FIG. 13 is a top plan view of a fifth modified embodiment of the design shown in FIGS. 1 through 3;

FIG. 14 is a side elevational view thereof;

FIG. 15 is a fragmentary side elevational view thereof with a portion broken-away and partially shown in section;

FIG. 16 is a top plan view of a sixth modified embodiment of the design shown in FIGS. 1 through 3;

FIG. 17 is a side elevational view thereof;

FIG. 18 is a fragmentary side elevational view thereof with a portion broken-away and shown in partially section;

FIG. 19 is a bottom plan view of the design shown in FIGS. 1 through 3;


FIG. 20 is a bottom plan view of the design shown in FIGS. 4 through 6;


FIG. 21 is a bottom plan view of the design shown in FIGS. 7 through 9;

FIG. 22 is a bottom plan view of the design shown in FIGS. 10 through 12;


FIG. 23 is a bottom plan view of the design in FIGS. 13 through 15; and


FIG. 24 is a bottom plan view of the design shown in FIGS. 17 through 19.








U.S. Patent D310,025 Aug. 21, 1990 Sheet 1 of 4














F/G. 6





F/G. 2




F/G. 5












F/G. 12





F/G.8




F/G. 11












F/G. 18




F/G. 14




F/G. 17




F/G. 19




F1G. 20




F/G. 21



F/G. 22



F/G. 23



F/G. 24