

[54] TRANSDUCER POD

[75] Inventor: Jeremy Bird, Lymington, Great Britain
[73] Assignee: Brookes and Gatehouse Limited, United Kingdom
[**] Term: 14 Years
[21] Appl. No.: 9,351
[22] Filed: Jan. 30, 1987
[52] U.S. Cl. D10/46
[58] Field of Search D10/46; 33/1 PT; 84/DIG. 24; 367/141; 181/122, 140, 400; 73/181

[56] References Cited
U.S. PATENT DOCUMENTS
2,575,339 11/1951 Fitzgerald 367/141 X
2,865,318 12/1958 Clynes et al. 181/140 X
3,693,673 7/1972 Springston, Jr. et al. 73/181
3,782,193 1/1974 Meyer et al. 73/181
4,774,837 10/1988 Bird 73/181

FOREIGN PATENT DOCUMENTS

223998 12/1983 Japan 367/141
15320 5/1916 United Kingdom 181/140


Primary Examiner—Nelson C. Holtje
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Remy J. VanOphem

[57] CLAIM

The ornamental design for a transducer pod, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top and right side perspective view of a transducer pod showing my new design;
FIG. 2 is a right side elevational view, the left side being an identical image;
FIG. 3 is a front elevational view, the rear being an identical image;
FIG. 4 is a top plan view;
FIG. 5 is a bottom plan view;
FIG. 6 is a bottom and right side elevational view; and
FIG. 7 is a sectional view taken along line 7—7 of FIG. 4 thereof.






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.




FIG. 6




FIG. 7