

[54] COMBINED CAR SEAT AND BABY STROLLER

[75] Inventors: J. Camille Tucker; Klaus D. Weiswurm, both of San Antonio, Tex.

[73] Assignee: Gee-I-Go, Inc., San Antonio, Tex.

[\*\*] Term: 14 Years

[21] Appl. No.: 21,423

[22] Filed: Mar. 4, 1987

[52] U.S. Cl. .... D12/129

[58] Field of Search ..... D12/128, 129; 280/30, 280/47.37 R, 643, 47.4, 43.24; 297/250, 253, 254, 255, 256; D6/333

[56] References Cited

U.S. PATENT DOCUMENTS

D. 286,470	11/1986	Takada	.....	D6/333
D. 290,191	6/1987	Kassai	.....	D6/333
4,679,804	7/1987	Johnson	.....	280/30
4,762,331	8/1988	Tucker et al.	.....	D12/129
4,768,795	9/1988	Mar	.....	280/30
4,822,064	4/1989	Hunter	.....	280/30

OTHER PUBLICATIONS

Popular Science, Oct. 1986, p. 58, Car Seat Stroller.

Primary Examiner—Wallace R. Burke

Assistant Examiner—Kay H. Chin


Attorney, Agent, or Firm—Cox & Smith

[57] CLAIM

The ornamental design for a combined car seat and baby stroller, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a combined car seat and baby stroller showing our new design;  
 FIG. 2 is a left side elevational view thereof;  
 FIG. 3 is a front elevational view thereof;  
 FIG. 4 is a right side elevational view thereof;  
 FIG. 5 is a rear elevational view thereof;  
 FIG. 6 is a bottom plan view thereof;  
 FIG. 7 is an enlarged front perspective view thereof;  
 and  
 FIG. 8 is a rear perspective view thereof, showing the wheels pivoted and the handle and foot rest extended for use as a stroller.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 8




FIG. 7