

[54] **COMBINED CLOCK RADIO AND LIGHT**

[75] **Inventor: Touru Sato, Niigato, Japan**

[73] **Assignee: Twin Bird Industrial Co., Ltd., Japan**

[**] **Term: 14 Years**

[21] **Appl. No.: 91,942**

[22] **Filed: Sep. 1, 1987**

[30] **Foreign Application Priority Data**

Jul. 2, 1987 [JP] Japan 62-27262

[52] **U.S. Cl.** **D14/171; D26/38;**
D26/63; D10/15; D14/168

[58] **Field of Search** D14/141, 160-168,
D14/188-189, 191-192, 196, 199, 202, 299, 190,
143, 170-171; D10/2, 15; D26/38, 52, 63;
362/269; 455/344, 350, 351

[56]

References Cited

U.S. PATENT DOCUMENTS

D. 158,808	5/1950	Silvers	D26/52
D. 174,582	4/1955	Landis	D26/63
D. 207,185	3/1967	Reichenstein	D14/170
D. 208,004	6/1967	Heller	D26/52
D. 222,285	10/1971	Masuda et al.	D26/52 X
D. 277,668	2/1985	Terzian et al.	D14/190
D. 290,357	6/1987	Schouten	D14/171
D. 301,580	6/1989	Davidson	D14/171

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Eckert Seamans Cherin & Mellott

[57]

CLAIM

The ornamental design for a combined clock radio and light, as shown.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a combined clock radio and light showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a right side elevational view thereof; and
FIG. 4 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4

