

United States Patent [19]

Cain

[11] Patent Number: Des. 310,135

[45] Date of Patent: ** Aug. 28, 1990

[54] UMBRELLA HANDLE

[75] Inventor: Ann S. Cain, Cincinnati, Ohio

[73] Assignee: 'totes', incorporated, Loveland, Ohio

[**] Term: 14 Years

[21] Appl. No.: 286,485

[22] Filed: Dec. 19, 1988

[52] U.S. Cl. D3/12

[58] Field of Search D26/38; D3/1-17;
362/102; 135/16, 17, 19.5, 20 R, 20 A, 20 M,
24, 25 R, 33 R, 33 C, 34, 65, 66, 72, 74, 90,
76-81, 98, 101, 104, 118, DIG. 10

[56] References Cited

U.S. PATENT DOCUMENTS

- | | | | |
|------------|---------|-------------------|----------|
| D. 273,815 | 5/1984 | Allen | D3/12 |
| D. 287,189 | 12/1986 | Cain | D3/12 |
| D. 287,192 | 12/1986 | Cain | D3/12 |
| D. 287,306 | 12/1986 | Cain | D3/12 |
| D. 289,460 | 4/1987 | Exley et al. | D3/12 |
| D. 289,701 | 5/1987 | Cain | D3/16 |
| D. 290,307 | 6/1987 | Cain | D3/12 |
| D. 290,546 | 6/1987 | Cain | D3/12 |
| D. 290,547 | 6/1987 | Cain | D3/12 |
| D. 290,905 | 7/1987 | Selig | D3/16 |
| D. 296,263 | 6/1988 | Cain | D3/10 |
| D. 296,264 | 6/1988 | Selig | D3/12 |
| 1,568,423 | 1/1926 | Sifferlen | 135/65 X |
| 4,632,137 | 12/1986 | Exley et al. | 135/20 R |

Primary Examiner—Louis S. Zarfas
Attorney, Agent, or Firm—Wood, Herron & Evans

[57] CLAIM

The ornamental design for an umbrella handle, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a first embodiment

of an umbrella handle showing my new design, the other side being a mirror image thereof;

FIG. 2 is a rear elevational view of the embodiment shown in FIG. 1;

FIG. 3 is a front elevational view of the embodiment shown in FIG. 1;

FIG. 4 is a bottom plan view of the two embodiments shown in FIGS. 1-3 and 6-8;

FIG. 5 is a top plan view of the two embodiments shown in FIGS. 1-3 and 6-8;

FIG. 6 is a side elevational view of an umbrella handle showing a second embodiment of my new design, the other side being a mirror image thereof;

FIG. 7 is a rear elevational view of the embodiment shown in FIG. 6;

FIG. 8 is a front elevational view of the embodiment shown in FIG. 6;

FIG. 9 is a side elevational view of an umbrella handle showing a third embodiment of my new design;

FIG. 10 is a rear elevational view of the embodiment shown in FIG. 9;

FIG. 11 is a front elevational view of the embodiment shown in FIG. 9;

FIG. 12 is a side elevational view of the opposite side from that shown in FIG. 9;

FIG. 13 is a bottom plan view of the embodiment shown in FIG. 9;

FIG. 14 is a top plan view of the embodiment shown in FIG. 9;

FIG. 15 is a side elevational view of an umbrella handle showing a fourth embodiment of my new design;


FIG. 16 is a rear elevational view of the embodiment shown in FIG. 15;

FIG. 17 is a front elevational view of the embodiment shown in FIG. 15;

FIG. 18 is a side elevational view of the side opposite from that shown in FIG. 15;

FIG. 19 is a bottom plan view of the embodiment shown in FIG. 15; and

FIG. 20 is a top plan view of the embodiment shown in FIG. 15.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG.15




FIG.16




FIG.17




FIG.18




FIG.19




FIG.20