

[54] **BASKETBALL POSSESSION INDICATOR**

[76] **Inventor: Robert M. Wolfe, 210-A Park Ave.,
Raleigh, N.C. 27605**

[**] **Term: 14 Years**

[21] **Appl. No.: 223,779**

[22] **Filed: Jul. 25, 1988**

[52] **U.S. Cl. D10/46.1; D20/43**

[58] **Field of Search D10/104, 109; 116/20,
116/327; 273/1.5 R, DIG. 26, 1.5 A; 40/28 R,
125, 65, 67, 63, 64; 33/349, 351, 366**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 248,424 7/1978 Priovolos D10/46.1
3,444,548 5/1969 Davis 273/1.5 R
4,904,981 2/1990 Mele et al. 273/1.5 A


Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson

[57] **CLAIM**

The ornamental design for a basketball possession indicator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a basketball possession indicator showing my new design;
FIG. 2 is a right side elevational view of the design as seen in FIG. 1; and
FIG. 3 is a rear elevation view of the design as seen in FIG. 1, the bottom being plain and unornamental.






FIG. 1




FIG. 2




FIG. 3