

United States Patent [19]

Takahashi et al.

[11] Patent Number: Des. 310,203

[45] Date of Patent: ** Aug. 28, 1990

[54] BATTERY CHARGER

[75] Inventors: Yoichi Takahashi, Kyoto; Kazuhiko Miyahara, Kanagawa, both of Japan

[73] Assignees: Matsushita Electric Industrial Co., Osaka; Cannon Kabushiki Kaisha, Tokyo, both of Japan

[**] Term: 14 Years

[21] Appl. No.: 284,867

[22] Filed: Dec. 14, 1988

[30] Foreign Application Priority Data

Jun. 15, 1988 [JP] Japan 63-23747

[52] U.S. Cl. D13/107

[58] Field of Search D13/107, 108, 109;
320/2-5, 27

[56] References Cited

U.S. PATENT DOCUMENTS

D. 280,317 8/1985 Boyd et al. D13/5
4,636,703 1/1987 Tohya et al. 320/2

Primary Examiner—Susan J. Lucas
Assistant Examiner—Joel Sincavage
Attorney, Agent, or Firm—Sughrue, Mion, Zinn,
Macpeak & Seas

[57] CLAIM

The ornamental design for a battery charger, as shown.

DESCRIPTION

FIG. 1 is a front, top, and right-side perspective view of a battery charger showing our new design; FIG. 2 is a right-side elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left-side elevational view thereof; and FIG. 6 is a rear, top, and left-side perspective view thereof, the plug prongs rotated into a position perpendicular to the body.



FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

